Toxicology Letters, 45 (1989) 317–319
Elsevier

AUTHOR INDEX VOL. 45 (1989)

Abdo, K.M., Elwell, M.R., Montgomery, C.A., Thompson, M.B., Thompson, R.B. and Prejean, J.D.
Toxic responses in F344 rats and B6C3F$_1$ mice given roxarsone in their diets for up to 13 weeks, 55
Abel, J., see Höhr, D., 165
Agarwal, M.K., see Rao, S.S., 67
Agüero, R.M. and Guibert, E.E.
Early influence of aflatoxin B$_1$ on the functional state of isolated rat hepatocytes, 133
Ahluwalia, P. and Malik, V.B.T.
Effects of monosodium glutamate (MSG) on serum lipids, blood glucose and cholesterol in adult male mice, 195
Anand, M., Gulati, A., Gopal, K., Gupta, G.S.D. and Chandra, S.V.
Role of neurotransmitters in fenitrothion-induced aggressive behaviour in normal and lesioned rats, 215

Babich, H., Martin-Alguacil, N. and Borenfreund, E.
Arsenic-selenium interactions determined with cultured fish cells, 157
Bacha, H., see Roth, A., 307
Bartsch, H., see Laib, R.J., 231
Bast, A., see Pruijn, F.B., 73
Bem, E.M., Piotrowski, J.K. and Koziara, H.
Cadmium and metallothionein levels in the liver of humans exposed to environmental cadmium in Upper Silesia, Poland, 35
Beraud, M., Forgue, M.-F., Pipy, B. and Derache, P.
Interaction of carbaryl and *N*-nitrosocarbaryl with microsomal monooxygenase activities, 251
Bernard, A.M., De Russis, R., Normand, J.-C. and Lauwerys, R.R.
Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague–Dawley rat, 271
Bertini, E., see Salvadori, M., 241
Bolt, H.M., see Laib, R.J., 231
Borenfreund, E., see Babich, H., 157
Brady, J.F., see Li, D., 141

Carrera, G., see Dikshith, T.S.S., 281
Cartier, R., see Laib, R.J., 231
Chandra, S.V., see Anand, M., 215
Cheeke, P.R., see Moghaddam, M.F., 149
Chikazawa, H., see Kadota, T., 185
Coppi, C., see Salvadori, M., 241
Corain, B., see Zatta, P., 15
Creppy, E.E., see Roth, A., 307

Dahl, A.R.
The cyanide-metabolizing enzyme rhodanese in rat nasal respiratory and olfactory mucosa, 199
Dani, H.M., see Gupta, R., 49
Derache, P., see Beraud, M., 251
De Russis, R., see Bernard, A.M., 271
Deutschmann, S. and Laib, R.J.
Concentration-dependent depletion of non-protein sulfhydryl (NPSH) content in lung, heart and liver tissue of rats and mice after acute inhalation exposure to butadiene, 175
Dieter, H.H., see Muñoz, C., 83
Dikshith, T.S.S., Carrera, G., Raizada, R.B. and Mitjavila, S.
Interaction of hexachlorocyclohexane (HCH) and chlorpropham (CIPC) in male rats, 281
Dirheimer, G., see Roth, A., 307
Dolara, P., see Salvadori, M., 241

Elwell, M.R., see Abdo, K.M., 55

Forgue, M.-F., see Beraud, M., 251

Gangolli, S.D., see Lake, B.G., 299
Gopal, K., see Anand, M., 215
Gray, T.J.B., see Lake, B.G., 221
Guibert, E.E., see Aguero, R.M., 133
Gulati, A., see Anand, M., 215
Gupta, G.S.D., see Anand, M., 215
Gupta, R. and Dani, H.M.
In vitro formation of organ-specific ultimate carcinogens of 4-dimethylaminoazobenzene and urethan by microsomes, 49

Heger, W., see Schmahl, H.-J., 23

Höhr, D., Abel, J. and Wilhelm, M.
Renal clearance of aluminium: studies in the isolated perfused rat kidney, 165
Hull, J.A., see Penney, D.G., 207

Ioannides, C., see Lewis, D.F.V., 1

Kadota, T., Chikazawa, H. and Takahashi, N.
Toxicological study of etoposide (VP-16) in rats with special emphasis on testicular alteration, 185
Kane, A., see Roth, A., 307
Kastner, M., Schulz-Schalge, T. and Neubert, D.
Purification and properties of cytochrome P-450 from liver microsomes of phenobarbital-treated marmoset monkeys (*Callithrix jacchus*), 261
Körösi, S.A., see Lake, B.G., 221
Koziara, H., see Bem, E.M., 35

Laib, R.J., Bolt, H.M., Cartier, R. and Bartsch, H.
Increased alkylation of liver DNA and cell turnover in young versus old rats exposed to vinyl chloride correlates with cancer susceptibility, 231
Laib, R.J., see Deutschmann, S., 175
Lake, B.G., Gray, T.J.B., Körösi, S.A. and Walters, D.G.
Nafenopin, a peroxisome proliferator, depletes hepatic vitamin E content and elevates plasma oxidised glutathione levels in rats, 221
Lake, B.G., Walters, D.G. and Gangolli, S.D.
Comparison of the metabolism and disposition of [3-^{14}C]coumarin in the rat and marmoset (*Callithrix jacchus*), 299
Lauwerys, R.R., see Bernard, A.M., 271
Lee, J.D., see Liu, W.-F., 289
Lee, M.J., see Li, D., 141
Lewis, D.F.V., Ioannides, C. and Parke, D.V.
Prediction of chemical carcinogenicity from molecular and electronic structures: a comparison of MINDO/3 and CNDO/2 molecular orbital methods, 1
Li, D., Brady, J.F., Lee, M.J. and Yang, C.S.
Effect of 1,3-butanediol on rat liver microsomal NDMA demethylation and other monooxygenase activities, 141
Lin, C.-H., see Liu, W.-F., 289
Liu, W.-F., Wei, Y.-C., Lee, J.D., Ma, C. and Lin, C.-H.
Ortho-iodosobenzoic acid: its toxicity and neurobehavioral effects in mice, 289
Liu, W.K., Ng, T.B. and Wong, C.C.
Biochemical and cellular changes in bronchoalveolar lavaged samples from rats after inhalation of mosquito-coil smoke, 121

Ma, C., see Liu, W.-F., 289
Malik, V.B.T., see Ahluwalia, P., 195
Martin-Alguacil, N., see Babich, H., 157
Minder, E.I., Schaubhut, R. and Simmler, F.
Toxicological screening for benzodiazepines in urine: EMITST versus high-performance liquid chromatography with photodiode array detection, 93
Mitjavila, S., see Dikshith, T.S.S., 281
Mizunuma, H., see Sato, M., 41
Moghaddam, M.F. and Cheeke, P.R.
Effects of dietary pyrrolizidine (*Senecio*) alkaloids on vitamin A metabolism in rats, 149
Montgomery, C.A., see Abdo, K.M., 55
Muñoz, C., Vormann, J. and Dieter, H.H.
Characterization and development of metallothionein in fetal forelimbs, brain and liver from the mouse, 83

Nagai, Y., see Sato, M., 41
Nau, H., see Schmahl, H.-J., 23
Neubert, D., see Kastner, M., 261
Ng, T.B., see Liu, W.K., 121
Normand, J.-C., see Bernard, A.M., 271

Ohtake, A., see Sato, M., 41

Parke, D.V., see Lewis, D.F.V., 1
Penney, D.G., Verma, K. and Hull, J.A.
Cardiovascular, metabolic and neurologic effects of acute carbon monoxide poisoning in the rat, 207
Perazzolo, M., see Zatta, P., 15
Piotrowski, J.K., see Bem, E.M., 35
Pipy, B., see Beraud, M., 251
Prejean, J.D., see Abdo, K.M., 55
Pruijn, F.B., Van Gelderen, J.G. and Bast, A.
The effects of radical stress and *N*-ethylmaleimide on rat hepatic α_1-adrenergic receptors, 73

Raizada, R.B., see Dikshith, T.S.S., 281
Rao, K.M., see Rao, S.S., 67
Rao, S.S., Agarwal, M.K., Rao, K.M. and Swamy, R.V.
Study on dermal toxicity and urinary metabolites of the new insect repellent *N,N*-diethylphenylacetamide in rabbits, 67
Röschenthaler, R., see Roth, A., 307
Roth, A., Creppy, E.E., Kane, A., Bacha, H., Steyn, P.S., Röschenthaler, R. and Dirheimer, G.
Influence of ochratoxin B on the ochratoxin A inhibition of phenylalanyl-tRNA formation in vitro and protein synthesis in hepatoma tissue culture cells, 307

Salvadori, M., Dolara, P., Bertini, E. and Coppi, C.
Analysis of mutagenic activity in human urine after concentration on different resins and high-performance liquid chromatography, 241
Sato, M., Ohtake, A., Takeda, K., Mizunuma, H. and Nagai, Y.
Metallothionein-I accumulation in the rat lung following a single paraquat administration, 41
Schaubhut, R., see Minder, E.I., 93
Schmahl, H.-J., Heger, W. and Nau, H.
The enantiomers of the teratogenic thalidomide analogue EM 12. 2. Chemical stability, stereoselectivity of metabolism and renal excretion in the marmoset monkey, 23
Schulz-Schalge, T., see Kastner, M., 261
Simmler, F., see Minder, E.I., 93
Sorensen, E.M.B.
Validation of a morphometric analysis procedure using indomethacin-induced alterations in cultured hepatocytes, 101
Stedman, D.B. and Welsch, F.
Inhibition of DNA synthesis in mouse whole embryo culture by 2-methoxyacetic acid and attenuation of the effects by simple physiological compounds, 111
Steyn, P.S., see Roth, A., 307
Swamy, R.V., see Rao, S.S., 67

Takahashi, N., see Kadota, T., 185
Takeda, K., see Sato, M., 41
Thompson, M.B., see Abdo, K.M., 55
Thompson, R.B., see Abdo, K.M., 55

Van Gelderen, J.G., see Pruijn, F.B., 73
Verma, K., see Penney, D.G., 207
Vorman, J., see Muñoz, C., 83

Walters, D.G., see Lake, B.G., 221, 299
Wei, Y.-C., see Liu, W.-F., 289
Welsch, F., see Stedman, D.B., 111
Wilhelm, M., see Höhr, D., 165
Wong, C.C., see Liu, W.K., 121

Yang, C.S., see Li, D., 141

Zatta, P., Perazzolo, M. and Corain, B.
Tris acetylacetonate aluminium (III) induces osmotic fragility and acanthocyte formation in suspended erythrocytes, 15

Toxicology Letters, 45 (1989) 321–322
Elsevier

SUBJECT INDEX VOL. 45 (1989)

Acute drug intoxication, 93
Acute poisoning, 207
Adrenergic receptor, 73
Aflatoxin B_1, 133
Albumin binding, 165
Aldrin, 261
Aluminium, 15
Aluminium accumulation, 165
Aluminium clearance, 165
Alveolar macrophage, 121
Anticancer drug, 241
Aquatic pollution, 157
Arsenic, 157

B6C3F_1 mouse, 55
Benzodiazepine, 93
Benzophenone, 93
Biochemical lesion, 281
Blood biochemical change, 67
Blood pressure, 207
1,3-Butanediol, 141

Cadmium, 35
Carbaryl, 251
Carbohydrate metabolism, 133
Carbon monoxide, 207
Carcinogenicity, 175
Cerebral edema, 207
Chemical carcinogen, 1
Chlorpropham, 281
Comparative metabolism and disposition, 299
Computer modelling, 1
Conjugated phenylacetic acid, 67
Coumarin, 299
Cyanide metabolism, 199
Cyclohexane, 271
Cytochrome P-448, 1
Cytochrome P-450, 1, 251, 261

Dermal irritancy, 67
Diet, 149
4-Dimethylaminoazobenzene, carcinogenic metabolites, 49
2-(2,6-Dioxopiperidine-3-yl)-phthalimidine, 23
DNA alkylation, 231
DNA synthesis, 111

Electrolytic lesion, 215
Electronic structure calculation, 1
EM 12, 23
Embryotoxicity, 111
Enantiomers, 23
Enzyme activity, 121
Enzyme immunoassay, 93
Erythrocytes, 15
N-Ethylphenylacetamide, 67
Etoposide, 185

F344 rat, 55
Fetal brain, 83
Fetal liver, 83
Free radical, 73

Glutathione, 175, 221

Heart rate, 207
Hepatic peroxisome proliferation, 221
Hepatocytes, 101
Hepatoma cell, 307
Hexachlorocyclohexane, 281
HPLC, 93
Human liver, 35
Human urinary mutagenicity, 241
Hyperlipidemia, 195
Hypothalamus, 195

In vitro alternative, 157
In vitro formation of carcinogen, 49
Indomethacin, 101
Inhalation exposure, 231
o-Iodosobenzoic acid (IBA), 289
Isolated hepatocyte, 133
Isolated perfused rat kidney, 165

Lavage fluid, 121
LD_{50}, 67
Lesioned rats, 215
Light and electron microscopy, 185
Limb bud, 83
Lipid peroxidation, 73
Liver microsome, 261
Liver, 73
Lung, 41

Mechanism of action, 111
Membrane permeability, 133
2-Methoxyacetic acid, 111
2-Methoxyacetic acid, attenuation by formate, sarcosine, acetate, 111
Metallothionein, 35, 41, 83
Method comparison, 241
β_2-Microglobulin, 271
Microsomal metabolism, 251
Molecular orbital calculation, 1
Monooxygenase activities, 251
Monooxygenase activity, microsomal, 141
Monosodium L-glutamate (MSG), 195
Morphine, 289
Morphometry, 101
Mosquito-coil smoke, 121
Mouse liver phenylalanyl-tRNA synthetase, 307
Mouse, 83

Nafenopin, 221
Nasal metabolism, 199
NDMA demethylation, microsomal, 141
Nephrotoxicity, 271
Neurobehavioral toxicity, 289
Neurology, 207
Neurotransmitter, 215
Neutral complex, 15
Neutral red cytotoxicity assay, 157
New World primate, 299
Newborn rats, 231
N-Nitrosocarbaryl, 251
Nociception, 289
Non-protein sulfhydryl, 175

Ochratoxin A, 307
Ochratoxin B, 307
Olfactory metabolism, 199
Organ-specific carcinogenicity, 49
Organophosphate decontaminant, 289
Osmotic fragility, 15
Oxidative stress, 221
7-(2-Oxoethyl)guanine, 231

Paraquat, 41
Pentoxyresorufin, 261
Pharmacokinetics, 23
Phenobarbital induction, 261
Plasma glucose, 207
Potentiation, 281
Prazosin-binding, 73
Prenatal development, 83
Protein synthesis, 307
Pyrrolizidine alkaloid, 149

Risk assessment, 1
Roxarsone toxicity, 55

Selenium, 157
Smoking, 241
Solvents, 271
Styrene, 271
Subcutaneous, 195

Testicular toxicity, 185
Thalidomide derivative, 23

Urethan, carcinogenic metabolites, 49

Vinyl chloride, 231
Vitamin A metabolism, 149
Vitamin E, 221

Zinc, 35